

Notice of Allowability

Application No.

10/823,261

Examiner

Jes F. Pascua

Applicant(s)

SHAH ET AL.

Art Unit

3727

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the telephone interview on 05 September 2006.
2. ☒ The allowed claim(s) is/are 33-43.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with applicant's representative, Mr. Brent E. Matthias, on 09/05/2006.

The application has been amended as follows:

In claim 33, lines 11-12, the language "liquid insensitive material, the first and second layers of liquid insensitive material being porous" has been deleted as lacking antecedent basis in the terminology of the specification and replaced with the language --porous material--.

In claim 33, line 15, "liquid insensitive" has been deleted and replaced with the term --porous-- in order to maintain consistent terminology.

In claim 33, line 15, "liquid sensitive" has been deleted and replaced with the term --porous-- in order to maintain consistent terminology.

In claim 33, line 17, "liquid insensitive", both occurrences, has been deleted and replaced with the term --porous-- in order to maintain consistent terminology.

In claim 36, lines 1-2, "liquid insensitive" has been deleted and replaced with the term --porous-- in order to maintain consistent terminology.

In claim 40, the dependency has been changed from "claim 37" to --claim 33-- in order to maintain consistency applicant's claimed structure and applicant's disclosure.

In claim 40, lines 1-2, the language "polyethylene is non-woven" has been deleted and replaced with the language --porous material is made of non-woven polyethylene-- in order to clearly set forth the material of the "porous material".

In claim 43, line 2, the language "the group" has been deleted and replaced the language --a group of materials-- in order to place the claim in proper Markush form.

In claim 44, the dependency has been changed from nonexistent "claim 46" to --claim 43--.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jes F. Pascua whose telephone number is 571-272-4546. The examiner can normally be reached on Mon.-Thurs..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan J. Newhouse can be reached on 571-272-4544. The fax phone

Art Unit: 3727

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Jes F. Pascua
Primary Examiner
Art Unit 3727

JFP